


Model Name		LM50-IR
Focal Length (mm)		50
Image Format (mm)		$\phi 43.3$
IR Corrected Design		400-1000nm
Iris Range		F1.9~F16
Focusing Range (m)		0.5~ ∞
Control	Iris	Manual
	Focus	Manual
TV Distortion at $\phi 43.3$		-0.54%
at $\phi 22.5$ (1.2"Format)		-0.18%
at $\phi 16$ (1"Format)		-0.12%
Back Focal Length in air (mm)		34.6mm
Mechanical Back Focal Length in air (mm)		34.1mm
Mount		F-mount, P-mount
Flange Back (F-Mount)		46.5mm
Flange Back (P-Mount, M42x1)		45.5mm
Filter size (mm)		M52X0.75
Size (mm)		$\phi 58.5 \times 117.5$
Weight (g)		600g (Preliminary)
Temperature Range		$-10^{\circ}\text{C} \sim +45^{\circ}\text{C}$

Main Characteristics

- Large Format
- IR Corrected Design
- Broad Band Coating
- Low Distortion



Kowa Kowa Company, Ltd.

Electronics and Optics Division

No. 4-14, 3-chome, Nihonbashi-Honcho, Chuo-ku, Tokyo 103-8433, Japan
 Phone : +81-(3) 3279-7330
 Facsimile : +81-(3) 5255-7516 <http://www.kowa.co.jp>
 E-mail : info@kowa.co.jp <http://www.kowa-usa.com>

Kowa Europe GmbH

Immermannstrasse 43B
 40210 Düsseldorf F.R. Germany
 Phone: (211) 179354-0
 Facsimile: (211) 161952

Kowa Optimed, Inc.

20001 So. Vermont Ave.
 Torrance, CA 90502, U.S.A
 Phone: (310) 327-1913
 Facsimile: (310) 327-4177
 E-mail: kowa-usa-info@kowa.com
 Homepage: <http://www.kowa-usa.com>