

| | | | | | | |
|---------------------------|-------------------|-----------------|---------------|--------------|---------|--|
| Type | AI VARI | | Mount | CS | | |
| Focal Length | 3.3~8.0mm | | Back Focus | 8.81mm | | |
| Fno. | F1.4 | | Mechanical Bf | 12.5mm | | |
| Designed Image Format | 1/3"(4.8x3.6mm) | | Exit Pupil | — | | |
| Operation Range | Iris | F1.4—CLOSE | Filter Size | — | | |
| | Focus | 0.3m ~ infinity | Aperture | Front | ∅17.0mm | |
| | Zoom | 3.3~8.0mm | | Rear | ∅8.6mm | |
| Control | Iris | Manual | Dimension | ∅33.0x43.3mm | | |
| | Focus | Manual | | Weight | 36g | |
| | Zoom | Manual | | | | |
| Object Size at MOD | Wide | — | | | | |
| | Tele | — | | | | |
| Field of View | D | 101.5°~43.3° | 1/4" | 78.1°~32.9° | | |
| | H | 81.1°~34.5° | | 60.4°~25.8° | | |
| | V | 60.4°~25.8° | | 47.8°~19.8° | | |
| Control | Iris | | Focus | Zoom | | |
| Driving Coil/Supply Volt. | — | | — | — | | |
| Damping Coil/Current | — | | — | — | | |
| Response Time | — | | — | — | | |
| Potentiometer | — | | — | — | | |
| Light Measuring Method | — | | | | | |
| Input Signal | — | | | | | |
| Iris Accuracy | — | | | | | |
| Sensitivity Adjustment | — | | | | | |
| Operating Temperature | -10 ~ +50 Celsius | | | | | |

1/3"

CS

C5M

DIMENSIONS

